

3

dependents would cast their votes for Washburn. The Senate would thereby be deprived of the situation, and the Democrats would make the Senate offer to take the Washburn Republicans. Such was the plan being made at 3 o'clock, but Senator Riddle would return to Logan. It was believed that the votes and Senator Bushnell's vote for him, thus giving Republican strength.

THE THIRD RAIL
At 3 o'clock the two House and Senate Conventions met at the third rail, amidst applause from the

STATE AFFAIRS.

The Joint Convention at Springfield Casts Six Ballots for Senator.

Logan Secures 100 of the 103 Votes Necessary to Elect Him.

The Full Republican Strength of Both Houses Now Exhausted.

A Very High Degree of Uncertainty Still Surrounding the Situation.

Unless Logan Gain To-Day He Will Be Expected to Step Aside.

Hear of Aboutwell in the Massachusetts Contest.

An Inauspicious Outlook for Hitchcock in Nebraska.

The Sixty-sixth Fugitive Ballot in Tennessee Leaves Every-body in a Rage.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

THE OHIO LEGISLATURE.

The Ohio Legislature Investigating the Disaster.

Ex-President Stone Examined at Great Length.

He Indulges in an Unkind Out at Draughtsman Tomlinson.

But Fails to Furnish Much Valuable Information.

The Examining Engineer of the Road also on the Stand.

Special Dispatch to The Tribune.

CLEVELAND, O., Jan. 17.—The Committee of the Ohio Legislature sent to investigate the causes of the railway calamity at Ashtabula returned from the scene of the disaster yesterday, and to-day took testimony of Amasa Stone, Esq., who was President of the Lake Shore Railroad in 1853, and designed the Ashtabula bridge.

Mr. Stone being in delicate health, the Committee met at his residence, 2000 Broadway, being sworn at first Superintendent of the Lake Shore Road from Cleveland to Erie for two years, and was afterwards President from 1855 to 1867, and has since been a Director of the road. The bridge across Ashtabula Creek was built in 1853. Witness designed the bridge, but only superintended.

THE DRAWING OF THE PLAN, while the details of construction were given by the Engineer, the Chief Engineer of the road, and was supervised by Mr. Joseph Tomlinson. The witness has not now the original plan of the structure, but does not certainly know where it may be found.

Answer.—Were there full written specifications of the bridge at the time of its construction, and if so, where are they now?

Q.—Were there full specifications at the time?

A.—There were.

Q.—Were the other papers preserved until the bridge was completed?

A.—I am not sure that they were. The span of the bridge was 154 feet. The width of the bridge from outside to outside was nineteen feet six inches; perhaps twenty feet. The width of the bridge between the cords was four feet and four inches.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

INDIANA.

THE LEGISLATURE.

Special Dispatch to The Tribune.

INDIANAPOLIS, Ind., Jan. 17.—Senator Harris introduced a joint resolution to amend the Constitution so as to prohibit counties, towns, cities and villages from extending aid to railroads or other corporations by taking stock or making donations of money or credit, and forbidding legislation authorizing counties, cities, or towns to assume any debt of any individual or corporation. The prospects are that the resolution will pass, as there is a deep feeling in favor of curtailing municipal indebtedness. A bill was also introduced to establish an Insurance Department. In the House the regular intermarriage bill for the payment of the Morgan debt was introduced, and did not gain over the amount of three claims in over \$500,000. An effort is made at every Legislature to have the State pay the debt of the Morgan debt, but it is in the southern part of the State, and the claims have long since passed out of the hands of the original owners.

There is no probability of its passing. Resolutions were adopted directing inquiry by the proper committee as to building a new State House; and also directing inquiry into the general management of State Prison.

Special Dispatch to The Tribune.

INDIANAPOLIS, Ind., Jan. 17.—The House of Representatives, Evansville, Terre Haute, Logansport, Richmond, and Fort Wayne, met here to-day to consider the bill for the incorporation of the law for the incorporation of cities.

was issued for another meeting to be held here on the 21st, when a full attendance is expected.

PENNSYLVANIA.

THE MILITIA.

HARRISBURG, Pa., Jan. 17.—A caucus of Republican members of the House of Representatives was held this evening. A committee of three Senators and four Representatives, including the Speakers of the Senate and House, appointed last week to consider the propriety of introducing a bill to amend the Militia Act, to place the militia of the State upon a footing, held a conference with Gov. Hartranft, and finally decided that it was not expedient to offer any such bill to the Legislature at present, nor to make any special appropriation for the purpose at this time, but simply to await the course of events, and let the matter rest with the Governor, in his judgment, should think it necessary to call on the Legislature for proclamation or otherwise.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

ASHTABULA.

The Ohio Legislature Investigating the Disaster.

Ex-President Stone Examined at Great Length.

He Indulges in an Unkind Out at Draughtsman Tomlinson.

But Fails to Furnish Much Valuable Information.

The Examining Engineer of the Road also on the Stand.

Special Dispatch to The Tribune.

CLEVELAND, O., Jan. 17.—The Committee of the Ohio Legislature sent to investigate the causes of the railway calamity at Ashtabula returned from the scene of the disaster yesterday, and to-day took testimony of Amasa Stone, Esq., who was President of the Lake Shore Railroad in 1853, and designed the Ashtabula bridge.

Mr. Stone being in delicate health, the Committee met at his residence, 2000 Broadway, being sworn at first Superintendent of the Lake Shore Road from Cleveland to Erie for two years, and was afterwards President from 1855 to 1867, and has since been a Director of the road. The bridge across Ashtabula Creek was built in 1853. Witness designed the bridge, but only superintended.

THE DRAWING OF THE PLAN, while the details of construction were given by the Engineer, the Chief Engineer of the road, and was supervised by Mr. Joseph Tomlinson. The witness has not now the original plan of the structure, but does not certainly know where it may be found.

Answer.—Were there full written specifications of the bridge at the time of its construction, and if so, where are they now?

Q.—Were there full specifications at the time?

A.—There were.

Q.—Were the other papers preserved until the bridge was completed?

A.—I am not sure that they were. The span of the bridge was 154 feet. The width of the bridge from outside to outside was nineteen feet six inches; perhaps twenty feet. The width of the bridge between the cords was four feet and four inches.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

ASHTABULA.

The Ohio Legislature Investigating the Disaster.

Ex-President Stone Examined at Great Length.

He Indulges in an Unkind Out at Draughtsman Tomlinson.

But Fails to Furnish Much Valuable Information.

The Examining Engineer of the Road also on the Stand.

Special Dispatch to The Tribune.

CLEVELAND, O., Jan. 17.—The Committee of the Ohio Legislature sent to investigate the causes of the railway calamity at Ashtabula returned from the scene of the disaster yesterday, and to-day took testimony of Amasa Stone, Esq., who was President of the Lake Shore Railroad in 1853, and designed the Ashtabula bridge.

Mr. Stone being in delicate health, the Committee met at his residence, 2000 Broadway, being sworn at first Superintendent of the Lake Shore Road from Cleveland to Erie for two years, and was afterwards President from 1855 to 1867, and has since been a Director of the road. The bridge across Ashtabula Creek was built in 1853. Witness designed the bridge, but only superintended.

THE DRAWING OF THE PLAN, while the details of construction were given by the Engineer, the Chief Engineer of the road, and was supervised by Mr. Joseph Tomlinson. The witness has not now the original plan of the structure, but does not certainly know where it may be found.

Answer.—Were there full written specifications of the bridge at the time of its construction, and if so, where are they now?

Q.—Were there full specifications at the time?

A.—There were.

Q.—Were the other papers preserved until the bridge was completed?

A.—I am not sure that they were. The span of the bridge was 154 feet. The width of the bridge from outside to outside was nineteen feet six inches; perhaps twenty feet. The width of the bridge between the cords was four feet and four inches.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

ASHTABULA.

The Ohio Legislature Investigating the Disaster.

Ex-President Stone Examined at Great Length.

He Indulges in an Unkind Out at Draughtsman Tomlinson.

But Fails to Furnish Much Valuable Information.

The Examining Engineer of the Road also on the Stand.

Special Dispatch to The Tribune.

CLEVELAND, O., Jan. 17.—The Committee of the Ohio Legislature sent to investigate the causes of the railway calamity at Ashtabula returned from the scene of the disaster yesterday, and to-day took testimony of Amasa Stone, Esq., who was President of the Lake Shore Railroad in 1853, and designed the Ashtabula bridge.

Mr. Stone being in delicate health, the Committee met at his residence, 2000 Broadway, being sworn at first Superintendent of the Lake Shore Road from Cleveland to Erie for two years, and was afterwards President from 1855 to 1867, and has since been a Director of the road. The bridge across Ashtabula Creek was built in 1853. Witness designed the bridge, but only superintended.

THE DRAWING OF THE PLAN, while the details of construction were given by the Engineer, the Chief Engineer of the road, and was supervised by Mr. Joseph Tomlinson. The witness has not now the original plan of the structure, but does not certainly know where it may be found.

Answer.—Were there full written specifications of the bridge at the time of its construction, and if so, where are they now?

Q.—Were there full specifications at the time?

A.—There were.

Q.—Were the other papers preserved until the bridge was completed?

A.—I am not sure that they were. The span of the bridge was 154 feet. The width of the bridge from outside to outside was nineteen feet six inches; perhaps twenty feet. The width of the bridge between the cords was four feet and four inches.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

ASHTABULA.

The Ohio Legislature Investigating the Disaster.

Ex-President Stone Examined at Great Length.

He Indulges in an Unkind Out at Draughtsman Tomlinson.

But Fails to Furnish Much Valuable Information.

The Examining Engineer of the Road also on the Stand.

Special Dispatch to The Tribune.

CLEVELAND, O., Jan. 17.—The Committee of the Ohio Legislature sent to investigate the causes of the railway calamity at Ashtabula returned from the scene of the disaster yesterday, and to-day took testimony of Amasa Stone, Esq., who was President of the Lake Shore Railroad in 1853, and designed the Ashtabula bridge.

Mr. Stone being in delicate health, the Committee met at his residence, 2000 Broadway, being sworn at first Superintendent of the Lake Shore Road from Cleveland to Erie for two years, and was afterwards President from 1855 to 1867, and has since been a Director of the road. The bridge across Ashtabula Creek was built in 1853. Witness designed the bridge, but only superintended.

THE DRAWING OF THE PLAN, while the details of construction were given by the Engineer, the Chief Engineer of the road, and was supervised by Mr. Joseph Tomlinson. The witness has not now the original plan of the structure, but does not certainly know where it may be found.

Answer.—Were there full written specifications of the bridge at the time of its construction, and if so, where are they now?

Q.—Were there full specifications at the time?

A.—There were.

Q.—Were the other papers preserved until the bridge was completed?

A.—I am not sure that they were. The span of the bridge was 154 feet. The width of the bridge from outside to outside was nineteen feet six inches; perhaps twenty feet. The width of the bridge between the cords was four feet and four inches.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

SENATORIAL.

ASHTABULA.

The Ohio Legislature Investigating the Disaster.

Ex-President Stone Examined at Great Length.

He Indulges in an Unkind Out at Draughtsman Tomlinson.

But Fails to Furnish Much Valuable Information.

The Examining Engineer of the Road also on the Stand.

Special Dispatch to The Tribune.

CLEVELAND, O., Jan. 17.—The Committee of the Ohio Legislature sent to investigate the causes of the railway calamity at Ashtabula returned from the scene of the disaster yesterday, and to-day took testimony of Amasa Stone, Esq., who was President of the Lake Shore Railroad in 1853, and designed the Ashtabula bridge.

Mr. Stone being in delicate health, the Committee met at his residence, 2000 Broadway, being sworn at first Superintendent of the Lake Shore Road from Cleveland to Erie for two years, and was afterwards President from 1855 to 1867, and has since been a Director of the road. The bridge across Ashtabula Creek was built in 1853. Witness designed the bridge, but only superintended.

THE DRAWING OF THE PLAN, while the details of construction were given by the Engineer, the Chief Engineer of the road, and was supervised by Mr. Joseph Tomlinson. The witness has not now the original plan of the structure, but does not certainly know where it may be found.

Answer.—Were there full written specifications of the bridge at the time of its construction, and if so, where are they now?

Q.—Were there full specifications at the time?

A.—There were.

Q.—Were the other papers preserved until the bridge was completed?

A.—I am not sure that they were. The span of the bridge was 154 feet. The width of the bridge from outside to outside was nineteen feet six inches; perhaps twenty feet. The width of the bridge between the cords was four feet and four inches.

There was no change in the plan after the work was projected by witness. There was no departure from the original plan as to strength, etc. There was an error which gave the bridge some trouble. This error was that they put the bridge on a very bad foundation.

HEARD OF NO TROUBLE after the change from horizontal to vertical was made. Mr. Tomlinson was instructed with the construction of the bridge in the beginning, but he was not very much interested in it. He was discharged and Mr. Rogers was put in his place. Mr. Rogers had no experience, either before or after, in the construction of a bridge. He was a very honest man, but he was not a very good engineer.

MINNESOTA.

SENATORIAL.

2. 2. 2.

100

In the evening brilliant assemblage of the ladies and business men of Appleton to an excellent address by J. M. Smith, of Green Bay, on growing root crops and the finished and eloquent paper by Mr. Key, of Appleton—subject: "Farmers' Boys and Girls."

An interesting session is expected tomorrow.

HARD TIMES NOTWITHSTANDING.
Notwithstanding the general depression of business throughout the country, the

IL SU

only sewing-machine in the world
care of tension. Nos. 300 and 300 Walnut
avenue.

NATURE GIVES US TEETH,
but she does not preserve and purify them.
must be done with fragrant soda. The

On all Garments ordered of us
February, 1977, I paid
from delivery of

Wedding Garments

Shirts and Overcoats

servants' Livery made to him

THE NATIONAL LIFE.

Elsewhere we publish to-day the ninth annual statement of the National-Life Insurance Company of the United States of America. The showing indicates a prosperous business and a sound condition of its assets.

01011

WEIR—In this city, Jan. 17, 1877. Ida May, only daughter of John R. and Sarah Weir, aged 4 years 3 months and 20 days.

SULLIVAN

Justice David Wall, 35, of 1001
10 days.

General from the residence of his parents at
South Jefferson-st., on Thursday, at 9:30 a.m.
Services at the Holy Family Church at 10 a.m.
marry; thence by carriage to the residence of
GALBREATH—At Waldron, Kentucky, com-
mune, No. 18, 1873, Robert Galbreath, of com-
mune, No. 18, 1873, and
Argyleshire, Scotland, papers were
POWELL—The funeral services of Miss Eliza
Bowers, only daughter of Mr. and Mrs. J. W.
17 years, were held at Oliver Baptist church
on Wednesday morning, at 10 o'clock, the
officiating. Her living and gentle disposition

ton's Health Theory, can be

daughter of George H. and Kate Crook aged 7 years 1 month and 23 days, of membranous croup.

Funeral from 273 Portland-av. at 10 a. m. Friday, the 19th inst., to Graceland. Friends of the family cordially invited to attend.

227 New York, Brooklyn, and Lowell, Mass. papers please copy.

WILLIAM CROOK.

GENERAL NO

SMITH—On Nov. 3, 1876, of hypertrophy of the heart, Carrie, beloved wife of Silas Wright Smith, in the 51st year of her age.

YOUNG MEN'S CHURCH

months and 22 days.

SMITH—On Jan. 17, 1877, of post-scarlet fever, Eddie Payne, only son of Sallie Wiggins the late Carrie Smith, aged 2 years 9 months 10 days.

Funeral services at the house, 1014 Wilcox, Friday, at 11 a. m., Jan. 19, 1877.

Though the presence was endearing,
Through thy absence are children,
At the savior's bright appearing
Thy dear presence is desired.

Those who were unable to attend the funeral service and wish to contribute to the expenses for conducting the same, for the Young Association, may remit to Treasurer, care Field, Leavenworth, Mo.

EUPEON. **OLD PA**

Is the most wonderful remedy for Rheumatism, Neuralgia. It never fails; and for head-ache, piles, felonis, cuts, sprains, bruises, burns, etc., affords instant relief, as thousands can testify.

For sale by all Druggists.

H. A. HUMPHREY & CO., 75 and 77 Randolph.

Chicago General Wholesale Agents.

FOR SALE

60 cts. per lb

0 cas. per 1

CANDY CELEBRATED throughout the Union - expressed in all parts. 1 lb and upward \$25, 40, 60c per lb. Address _____

CONFECTIONERY.

Apply at Tribune Co

100

By ELISON, POMEROY & CO.
Auctioneers, 94 and 86 Randolph-st.
Regular Friday's Sale, Jan. 19, 1893 3 o'clock A.M.
IMMENSE LAYOUT.
NEW AND SECOND-HAND
FURNITURE
And General Household Goods.
A FULL LINE OF
Carpets, Stoves, Pianos, Crochets,
Glass and Plated Ware,
Teas, Cigars, General Merchandise, etc., etc.
By **WM. A. BUTTERS & CO.**

J. S. BARNES & CO.,

DRY GOODS, CLOTHING,
WOOLENS, DRESS GOODS, SILK,
BLANKETS, KNIT GOODS,
Hosiery, Furnishing Goods, Shaks,
Gloves, Hats, Notions, etc.,
THURSDAY, Jan. 25, 10 o'clock at 100 West
Madison. 125 and 126 W. Adams-st.

By WM. F. HODGES & CO.,
 No. 202 West Lake-st.
AT THE PRIVATE RESIDENCE,
No. 617 West Monroe-st.,
 CHICAGO, ILL.,

ILLINOIS STATE F
COMMISSIONERS' OFFICE

[illegible]

WANTED

[illegible]

100